

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62.83

1942

RECEIVED

★ APR 6 1942 ★

U. S. Department of Agriculture

# **PIRTLE'S CACTUS GARDEN**

**J. R. PIRTLE & SONS**



**Native & Exotic Cacti & Other  
Succulents**

---


**Retail Price List** 2095


---



**LOWER RIO GRANDE VALLEY  
Morningside Blvd. at Wisconsin  
EDINBURG, TEXAS.**







**PIRTLE'S CACTUS GARDEN**  
**J. R. PIRTLE & SONS,**  
**Morningside Blvd. at Wisconsin**  
**EDINBURG, TEXAS.**  
**NATIVE & EXOTIC CACTI AND**  
**OTHER SUCCULENTS**  
**Retail Price List No. 3**

---

**Terms; Cash with order**

**P-Plant. S-Seedling. G-Graft**

**C-Cutting. X-Not Prepaid**

**\*-Larger or specimen plants**

If we do not list plants you want please write us, as we are constantly acquiring new species and may now have same.

We have hundreds of specimen plants.....Will be glad to quote prices upon request.

We will deliver postpaid, or express prepaid, in the United States only, on orders of \$1.00 and over, except where otherwise stated.

While every effort has been made to properly classify our plants, we do not guarantee nomenclature given to be correct. We have the four volumes of Britton & Rose, (Cactaceae) and are constantly checking up on our plants.

No substitution will be made without advice from customer. Please list extra plants when ordering in case our stock is depleted.

Miniature Gardens---Planted in appropriate pottery. Prices, carefully packed for shipment by express collect, \$1.25, \$1.35, \$1.75, \$2.25, \$3.00, \$4.00, \$5.00, \$6.00 and \$10.00. Approximate weight 10 to 35 pounds.

### **CRISTATES**

We sometimes have grafted plants of cristates at \$1.00 up, according to size and rarity. Write your wants in cristates.

**Acanthocereus (Night Blooming)**

<i>honduriensis</i> .....	C	.35
<i>horridus</i> .....	C	.35
<i>pentagonus</i> .....	C	.25

**Ancistrocactus**

<i>scheerii</i> .....	P	.15 to .50
-----------------------	---	------------

**Ariocarpus**

<i>fissuratus</i> .....	P	.25 to .50
<i>furfuraceus</i> .....	P	1.00 to 3.00
<i>kotschoubeyanus</i> .....	P	1.00 to 3.00
<i>trigonus</i> .....	P	1.00 to 3.00

**Astrophytum**

<i>asterias</i> .....	P	.25 to 1.00
<i>capricorne</i> .....	P	.50 to 3.50
<i>myriostigma</i> .....	P	.25 to 3.00
<i>ornatum</i> .....	P	.25 to 5.00

**Aztekium ritterii** .....

P 1.00

**Bartschella**

<i>schumannii</i> .....	C	.35
-------------------------	---	-----

**Cactus amoenus** .....

S .25 up

<i>broadwayii</i> .....	S	.25 up
-------------------------	---	--------

**Carnegiea**

<i>X gigantea</i> .....	P	5.00 up
-------------------------	---	---------

**Cephalocereus**

<i>albispinus</i> .....	C	1.00 up
<i>arrabidaei</i> .....	C	.50 up
<i>atroviridis</i> .....	C	1.00 up
<i>chrysacanthus</i> .....	C	1.00 up
<i>gounellei</i> .....	C	1.00 up
<i>leucocephalus</i> .....	C	2.00 up
<i>moritzianus</i> .....	C	.50 up
<i>nobilis</i> .....	C	.50 up
* <i>palmeri</i> .....	C	.50 up
<i>royenii</i> .....	C	.50 up
<i>senilis</i> .....	S	.25 up P 1.00 up

**Cereus**

<i>alacriportanus</i> .....	C	.50 up
<i>bolivianus monstr.</i> .....	C	1.00 up
<i>caesius hybrid</i> .....	C	.50 up
* <i>X caesius monstrosus</i> .....	C	1.00 up
<i>childsii (red flower)</i> .....	C	1.00 up
<i>dayamii</i> .....	C	.50 up
<i>hexagonus</i> .....	C	.50 up
<i>hildmannianus</i> .....	C	.50 up
<i>inermis</i> .....	C	.50 up
<i>jamacaru</i> .....	C	.50 up
<i>microspermus</i> .....	C	1.00 up



<b>Cereus (cont'd)</b>		
peruvianus type.....	C	.50 up
<b>X peruvianus</b>		
monstrosus.....	C	1.00 up
<b>X peruvianus</b>		
monstr. cristate.....	C	1.00 up
<b>*peruvianus</b>		
longispinus.....	C	.50 up
<b>X peruvianus longi-</b>		
spinus monstrosus.....	C	1.00 up
stenogonus.....	C	.50 up
tetragonus.....	C	1.00 up
thalassinus.....	C	.50 up
<b>Chamaecereus</b>		
silvestrii.....	C	.15 to .25
<b>Cleistocactus</b>		
anguinus.....	C	.50 up
baumannii.....	C	.25 to 1.50
straussii		
(Borziacactus B&R).....	C	.50 up
<b>Consolea</b>		
moniliformis.....	C	.25 to 1.00
rubescens.....	C	.25 to 1.00
spinosissima.....	C	.25 to 1.00
<b>Coryphantha erecta.....</b>		
	P	1.50
runyonii.....	P	.25 up
<b>Dolicothele</b>		
*sphaerica.....	P	.25 up
<b>Echinocactus</b>		
grusonii.....	P	.25 to 5.00
<b>Echinocereus</b>		
blanckii.....	C	.25
enneacanthus.....	P	.25 up
fitchii.....	P	.15 to .50
papillosus.....	P	.15 to .50
pentalophus.....	P	.15 to .50
<b>Echinofossulocactus</b>		
lamellosus.....	P	1.00
<b>Echinopsis</b>		
bridgesii.....	C	.50 up
*calochlora.....	C	.25 up
*campylacantha ?.....	C	.25 up
colmarii.....	C	.25 up
*eyriesei.....	C	.25 up
imperialis.....	C	.50 up
mia.....	C	.25 up
*muelleri.....	C	.15 up

**Echinopsis (Cont'd)**

*multiplex .....	C	.15	up
quehlii .....	C	.25	up
rhodotricha .....	C	.50	up
ritteri .....	C	.25	up
rotheri .....	C	.25	up
schelhasei .....	C	.25	up
triumphans .....	C	.25	up
*tubiflora .....	C	.15	up
*turbinata .....	C	.15	up
variabilis .....	C	.25	up
*wilkensis .....	C	.25	up

**Escobaria**

runyonii .....	P	.15	to .50
----------------	---	-----	--------

**Ferocactus**

acanthodes .....	P	.50	to 1.00
alamosanus .....	P	1.00	
flavovirens .....	C	1.00	
glaucescens .....	S	.35	to .50
hamatacanthus .....	P	.35	to 2.50
latispinus .....	S&P	.25	to 1.50
rafaelense .....	P	.50	up
wislizeni .....	P	1.00	up

**Gymnocalycium**

baldianum .....	C	.50	up
denudatum .....	C	.50	G 1.00 up
mihanovichii .....	P	.75	
netrelianum .....	C	.35	G 1.00 up

**Hamatocactus**

setispinus .....	P	.15	to .50
------------------	---	-----	--------

**Harrisia**

aboriginum .....	C	.25	to 1.00
bonplandi .....	C	.25	to 1.00
brookii .....	C	.25	to 1.00
eriphora .....	C	.25	to 1.00
fragrans .....	C	.25	
jusbertainii .....	C	.35	to 1.00
martinii .....	C	.15	to .50
pomanensis .....	C	.35	to 2.50
tortuosa .....	C	.35	to 1.00

**Homalocephala**

texensis .....	P	.25	to 1.00
----------------	---	-----	---------

**Hylocereus**

costaricensis .....	C	.25	up
guatemalensis .....	C	.25	up
lemairei .....	C	.25	up
ocamponus .....	C	.50	up

## Hylocereus (Cont'd)

trigonus.....	C	.25 up
triangularis.....	C	.25 up
undatus.....	C	.25 up
venezuelensis.....	C	.25 up

## Lemaireocereus

beneckeii.....	C	.50 to 3.00
dumortieri.....	C	1.00 to 3.00
hollianus.....	C	.50 to 5.00
hystrix.....	C	1.00 to 2.00
pruinosis.....	C	.50 to 3.00
stellatus.....	C	.50 to 3.00
treleasei.....	C	1.00 to 5.00

X-weberi.....	C	2.50 up
---------------	---	---------

## Leptocereus

grantianus.....	C	.50 to 1.50
quadricostatus.....	C	.50 to 1.00

*Lobivia aurea*, *backbergii*, *boliviensis*, *cinnabarina*, *famatimensis*, *mistiensis*, *psuedocachensis*, *saltensis*, and others. Occasional grafts available. Write for prices.

## Lophocereus

australis.....	C	.50 to 5.00
gatesii.....	C	.50 to 1.50
sargentianus.....	C	.50 to 1.00
schottii.....	C	.50 to 3.00
schottii monstrose.....	C	1.00 up

## Lophophora

williamsii.....	P	.15 to 1.00
-----------------	---	-------------

## Malacocarpus

erinaceus.....	G	1.00
lenninghausii.....	G&P	.75 to 5.00
ottonis.....	G	1.00 up
submammulosus.....	S	.25

## Mediocactus

coccineus, variety		
setaceus.....	C	.35 to 1.00

## Monvillea

cavendishii.....	C	.35 to 1.00
insularis.....	C	1.00
lauterbachii.....	C	.50 to 1.00
marmorata.....	C	.50 to 1.00
spgazzinii.....	C	.50 to 1.00

Myrtillocactus cochal.....	C	.25 to 1.00
geometrizzans.....	C	.25 to 2.00

## Neomammillaria

candida	P 1.00 to 1.50
celsiana	P .50 up
camptotricha	P .35 to 1.50
chinocephala	P 1.50 to 2.00
*compressa	P .50 to 3.50
*compressa angularis	P 1.00 to 2.50
elegans	P 1.00 to 2.50
elongata	P .35 to 1.00
gigantea	P 1.00 to 2.00
hahniana	P 1.00 to 1.50
herrerae	P 1.00
heyderii	P .15 to 1.00
klissingiana	P 1.00 to 2.00
magnumamma	P .25 to 3.00
mazatlanensis	C .50
melanocentra	P 1.00 to 3.00
multiceps	P .15 to .50
mystax	P 1.00 to 2.00
parkinsonii	P 1.00 to 5.00
petterssonii	P 1.00 to 2.00
plumosa	P .35 to 1.00
psuedoperbella	P 1.00 to 3.00
psuedorekoi	C .50 to 1.00
rhodantha	P 1.00 to 2.00
sempervivi	P 1.00 to 2.00
sinaloensis	C .50
sphacelata	C .50
spinosissima	P 1.00
winteriana	P 1.00 to 3.00

## Nopalea

auberii	C .15
cochenillifera	C .15
dejecta	C .15
brittonii	C .15
inaperta	C .15
karwinskiana	C .25

## Nyctocereus

serpentinus	C&P .25 to 1.50
-------------	-----------------

## Obregonia

denegrii	P 1.00 to 2.00
----------	----------------

## Opuntia

aurantiaca	macrocalyx
bigelovii	microdasys
fulgida	opuntia
grandiflora	prolifera
imbricata	retrorsa

**Opuntia (cont'd)**

kleiniae

leptocaulis

mamillata

rufida

tomentosa

vulgaris var.

All above cuts .15 each

**Opuntia**

burrageana

ciribe

clavellina

evansiana

ficus indica

lubrica

linguaforme

pilifera

All above cuts .25 each

**Oreocereus**

celsiana var.

brunneowii..... G 1.50 up

**Pachycereus**

marginatus..... C .50 to 5.00

pecten aboriginum..... C 1.50 to 5.00

\*pringlei..... S&amp;P .50 to 9.00

**Pereskopsis**

chapistle..... C .25 to 1.00

**Rathbunia**

alamosensis..... C .50 to 3.00

**Selenicereus**

brevispinus..... C .25 to 1.00

macdonaldiae..... C .25 to 1.00

pteranthus..... C .25 to 1.00

spinulosus..... C .25 to 1.00

vagans..... C .25 to 1.00

**Thelocactus**

bicolor..... P .15 to .50

**Trichocereus**

candicans..... C 1.00 to 3.00

cuzcoensis..... C 1.00

\*huascha..... C .50 to 1.50

pachanoi..... C .50 to 3.00

spachianus..... C .25 to 2.00

**Wilcoxia**

poselgeri..... P .50 to 1.00

**OTHER SUCCULENTS****Agave**

americana

variegata..... P .25 up

decipiens..... P .25 to 1.00

nickelsae..... S .25 to 1.00

## Aloe

arborescens	P	.25 up
beguinii	P	.25 to 1.00
brevifolia	P	.15 to 1.00
ciliaris	C	.15
commutata	P	.15 to 1.00
distanis	P	.25 to 1.00
eru	C	.50 to 1.50
heteracantha	P	.35 to 1.00
*marlothii	P	1.00 up
nobilis	P	.25 to .75
parvibracteata	P	.25 to 1.00
spinosissima	C	.50 to 1.50
vera	P	.15 to 2.00

## Caralluma

lutea	P	.15 to .50
-------	---	------------

## Ceropegia

sandersonii	C	.25 to .50
woodii	P	.15 to .35

## Crassula

lycopodioides	P	.15 to .25
monticola	P	.15 to .35
perforata	P	.15 to .50

## Echeveria

runyonii	P	.25 to .50
elegans	P	.25 to .50
setosa hybrid	P	.25 to .50
pulvinata	C	.15 to .50
orpetii	P	.25 to .50
elegans hybrid	P	.25 to .50

## Euphorbia

ammak	C	.50 up
ammak hybrid	C	.50 to 5.00
canariensis	C	.50 to 1.00
coerulescens	C	.35 to 1.00
echinus	C	.25
franckiana	C	.25 to 1.00
grandicornis	C	.50 to 3.00
grandidens	C	.25 to .50
hermentiana	C	.35
ingens	C	.50 to 2.00
lactea	C	.15 to 1.00
*lactea cristate	P	.50 to 2.00
neriifolia	C	.50 to 2.00
officinarium	C	.50 to 1.00
psuedocactus	C	.25 to .75
triangularis	C	.25 to .75

## Gasteria

angulata	P	.25 to .50
brevifolia	P	.25 to .50
cheillophylla	P	.35 to 1.00
columbrina	P	.25 to .75
disticha angulata	P	.25 to .50
echinata glauca	P	.25 to 1.00
glabra	P	.50
maculata	P	.25 to .75
minima	P	.25 to .50
marmorata minima	P	.25 to .50
nitida	P	.50
planifolia	P	.35 to .75
pulchra	P	.25 to 1.00
scaberrima	P	.25 to 1.00
trigona	P	.25 to 1.00
veruculosa	P	.15 to .50

## Haworthia

attenuata	P	.25 to .50
cassytha	P	.35
coarctata	P	.15 to .75
cymbiformis	P	.15 to 1.00
denticulata	P	.50 to 1.00
fasciata	P	.25 to 1.00
glabrata concolor	P	.15 to 1.00
margaretifera	P	.15 to .75
psuedorigida	P	.25 to .50
radula	P	.25 to .75
rigida	P	.25 to .50
tesselata	P	.25 to .75
viscosa	P	.25 to .50

## Huernia

penziggi	P	.15 to .50
pillansii	P	.25
schneideriana	P	.15 to .50

## Kalanchoe

daigremontianum	P	.15 to .35
fedtschenkoi	P	.15 to .50
marmorata	C	.25 to .50
somaliensis	C	.15 to .50
tubiflora	P	.15 to .50
houghton hybrid	P	.15 to .50

## Kitchingia

beharensis	P	.25 to 1.00
mandrakensis	P	.25 to 1.00

## Lenophyllum

texanum	P	.15 to .25
---------	---	------------

**Manfreda**

maculosa ..... P .25 to .50

variegata..... P .50 to 1.00

**Sedum**

adolphi.....P .15 to .35

guatemalense ..... P .15 to .35

**Stapelia**

bufonia.....P .15 to .25

gigantea .....P .25 to 1.00

hirsuta.....P .15 to .50

variegata.....P .15 to .35

Miniature garden assortment, mixed cacti and other succulents; 6 plants for 6 inch pot or receptacle of same diameter \$1.00; 10 plants for 8 inch pot \$1.50; 15 plants for 10 inch pot \$2.25; 20 plants for 12 inch pot \$3.00; 25 plants for 14 inch pot \$3.75; 30 plants for 16 inch pot \$4.50.

Mixed cacti seed 15 cents per packet.

Join the Cactus & Succulent Society of America--Membership and subscription to the Journal, published monthly, \$3.00 per year----Address Box 101, Pasadena, California.

Our garden is located the same distance from Edinburg, Alamo and San Juan, and any Filling Station at these points will give directions for reaching same.





**-From-**  
**PIRTLE'S CACTUS GARDEN**  
**J. R. PIRTE & SONS**  
**EDINBURG, TEXAS.**



**To**

.....  
**U. S. DEPARTMENT OF AGRICULTURE,**

**WASHINGTON, D. C.**  
.....

BUREAU OF PLANT INDUSTRY  
Fruit and Vegetable Crops and Diseases  
**M. B. N.**

• • • 8-3591